

Molded Pallet Models and Specifications Catalog



<https://presswoodmachine.com>

<https://palletsbiz.com>



Stackable Presswood Pallet

Model.1-1



Pallet Type: Stackable	Glue & Ratio: UF 15% / MDI 5%
Material: Wood Waste	Logo: Customizable
Size:1200mm*1200mm*135mm	Cost comparable to timber
Pallet Weight: 10-25kg	No splinters, nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-10t	Durable and Reusable
Dynamic load: 0.5t-3t	

Model.1-2



Pallet Type: Stackable	Glue & Ratio: UF 15% / MDI 5%
Material: Wood Waste	Logo: Custom
Size:1200mm*1000mm*135mm	Cost comparable to timber
Pallet Weight: 10-25kg	No splinters, nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-10t	Durable and Reusable
Dynamic load: 0.5t-3t	

Model.1-3



Pallet Type: Stackable	Glue & Ratio: UF 15% / MDI 5%
Material: Wood Waste	Logo: Custom
Size:1200mm*1000mm*140mm	Cost comparable to timber
Pallet Weight: 10-25kg	No splinters, nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-10t	Durable and Reusable
Dynamic load: 0.5t-3t	

Model.1-4



Pallet Type: Stackable	Glue & Ratio: UF 15% / MDI 5%
Material: Coconut Fiber	Logo: Custom
Size:1200mm*1200mm*135mm	Cost comparable to timber
Pallet Weight: 10-25kg	No splinters, nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 0.5t-3t	

Model.1-5



Pallet Type: Stackable	Glue & Ratio: UF 15% / MDI 5%
Material: Flax	Logo: Custom
Size:1200mm*800mm*135mm	Cost comparable to timber
Pallet Weight: 10-25kg	No splinters, nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 0.5t-3t	

Model.1-6



Pallet Type: Stackable	Glue & Ratio: UF 15% / MDI 5%
Material: Wood Waste	Logo: Custom
Size:1200mm*1000mm*135mm	Cost comparable to timber
Pallet Weight: 10-25kg	No splinters, nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 0.5t-3t	

Model.1-7



Pallet Type: Stackable	Glue & Ratio: UF 15% / MDI 5%
Material: Waste Wood	Logo: Custom
Size:1200mm*800mm*135mm	Cost comparable to timber
Pallet Weight: 10-25kg	No splinters, nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 0.5t-3t	

Model.1-8



Pallet Type: Stackable	Glue & Ratio: UF 15% / MDI 5%
Material: Waste Wood	Logo: Custom
Size:1200mm*800mm*135mm	Cost comparable to timber
Pallet Weight: 10-25kg	No splinters, nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 0.5t-3t	

Model.1-9



Pallet Type: Stackable	Glue & Ratio: UF 15% / MDI 5%
Material: Waste Wood	Logo: Custom
Size:1200mm*800mm*135mm	Cost comparable to timber
Pallet Weight: 18-25kg	No splinters, nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 1t-3t	

Model.1-10



Pallet Type: Stackable	Glue & Ratio: UF 15% / MDI 5%
Material: Waste Wood	Logo: Custom
Size:1200mm*800mm*135mm	Cost comparable to timber
Pallet Weight: 18-25kg	No splinters, nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 1t-3t	

Rackable Presswood Pallet

Model.2-1




Pallet Type: Rackable	Glue & Ratio: UF 15% / MDI 5%
Material: Wood Waste	Logo: Custom
Size:1200mm*1000mm*145mm	Cost comparable to timber
Pallet Weight: 20-25kg	No splinters, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 1t-3t	Assemble: Nails

Model.2-2



Pallet Type: Rackable	Glue & Ratio: UF 15% / MDI 5%
Material: Wood Waste	Logo: Custom
Size:1200mm*1000mm*140mm	Cost comparable to timber
Pallet Weight: 10-25kg	No splinters, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 1t-3t	Assemble: Nails

Model.2-3



Pallet Type: Rackable	Glue & Ratio: UF 15% / MDI 5%
Material: Wood Waste	Logo: Custom
Size: 1200mm*1000mm*135mm	Cost comparable to timber
Pallet Weight: 10-25kg	No splinters, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 1t-3t	Assemble: Nails

Model.2-4



Pallet Type: Rackable	Glue & Ratio: UF 15% / MDI 5%
Material: Waste Wood	Logo: Custom
Size: 1200mm*800mm*135mm	Cost comparable to timber
Pallet Weight: 18-25kg	No splinters, nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 1t-3t	

Model.2-5



Pallet Type: Rackable	Glue & Ratio: UF 15% / MDI 5%
Material: Wood Waste	Logo: Custom
Size:1200mm*1000mm*135mm	Cost comparable to timber
Pallet Weight: 10-25kg	No splinters, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 1t-3t	Assemble: Nails

Model.2-6



Pallet Type: Rackable	Glue & Ratio: UF 15% / MDI 5%
Material: Wood Waste	Logo: Custom
Size:1200mm*1000mm*135mm	Cost comparable to timber
Pallet Weight: 10-25kg	No splinters, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 1t-3t	Assemble: Nails

Model.2-7



This Model from Internet

Pallet Type: Rackable	Glue & Ratio: UF 15% / MDI 5%
Material: Wood Waste	Logo: Custom
Size:1200mm*1000mm*135mm	Cost comparable to timber
Pallet Weight: 18-25kg	No splinters, Noinfestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 1t-3t	

Roller Conveyor Presswood Pallet

Model.3-1



Pallet Type: Roller Conveyor

Material: Wood Waste

Size:1200mm*1200mm*135mm

Pallet Weight: 22-25kg

Entry: 4 ways

Static load: 8t-13t

Dynamic load: 1.5t-3t

Glue & Ratio: UF 15% / MDI 5%

Logo: Custom

Cost comparable to timber

No splinters, No Nails,infestation

Heat treatment and fumigation not required

Durable and Reusable

Flat Surface Presswood Pallet

Model.4-1



Pallet Type: Flat Surface

Material: Wood Waste

Size:1200mm*1200mm*135mm

Pallet Weight: 20-25kg

Entry: 4 ways

Static load: 8t-13t

Dynamic load: 1.5t-3t

Glue & Ratio: UF 15% / MDI 5%

Logo: Custom

Cost comparable to timber

No splinters, No Nails, infestation

Heat treatment and fumigation not required

Durable and Reusable

Model.4-2



Pallet Type: Flat Surface

Material: Wood Waste

Size:1200mm*1200mm*135mm

Pallet Weight: 20-25kg

Entry: 4 ways

Static load: 8t-13t

Dynamic load: 1.5t-3t

Glue & Ratio: UF 15% / MDI 5%

Logo: Custom

Cost comparable to timber

No splinters, No Nails, infestation

Heat treatment and fumigation not required

Durable and Reusable

Model.4-3



Pallet Type: Flat Surface	Glue & Ratio: UF 15% / MDI 5%
Material: Wood Waste	Logo: Custom
Size: 1200mm*1200mm*135mm	Cost comparable to timber
Pallet Weight: 20-25kg	No splinters, No Nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 1.5t-3t	

Model.4-4



Pallet Type: Flat Surface	Glue & Ratio: UF 15% / MDI 5%
Material: Wood Waste	Logo: Custom
Size: 1200mm*1200mm*135mm	Cost comparable to timber
Pallet Weight: 20-25kg	No splinters, No Nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 1.5t-3t	

Model.4-5



Pallet Type: Flat Surface

Material: Wood Waste

Size: 1150mm*750mm*135mm

Pallet Weight: 20-25kg

Entry: 4 ways

Static load: 8t-13t

Dynamic load: 1.5t-3t

Glue & Ratio: UF 15% / MDI 5%

Logo: Custom

Cost comparable to timber

No splinters, No Nails, infestation

Heat treatment and fumigation not required

Durable and Reusable

Model.4-6



Pallet Type: Flat Surface

Material: Wood Waste

Size: 1200mm*1200mm*135mm

Pallet Weight: 20-25kg

Entry: 4 ways

Static load: 8t-13t

Dynamic load: 1.5t-3t

Glue & Ratio: UF 15% / MDI 5%

Logo: Custom

Cost comparable to timber

No splinters, No Nails, infestation

Heat treatment and fumigation not required

Durable and Reusable

Solar Panel Presswood Pallet

Model.5-1



Pallet Type: Flat Surface

Material: Wood Waste

Size: 2310mm*1110mm*125mm

Pallet Weight: 38-42kg

Entry: 4 ways

Static load: 8t-13t

Dynamic load: 1.5t-3t

Glue & Ratio: UF 15% / MDI 5%

Logo: Custom


Cost comparable to timber

No splinters, No Nails, infestation

Heat treatment and fumigation not required

Durable and Reusable

Model.5-2



Available soon

Pallet Type: Flat Surface

Material: Wood Waste

Size: 2310mm*1110mm*125mm

Pallet Weight: 38-42kg

Entry: 4 ways

Static load: 8t-13t

Dynamic load: 1.5t-3t

Glue & Ratio: UF 15% / MDI 5%

Logo: Custom

Cost comparable to timber

No splinters, No Nails, infestation

Heat treatment and fumigation not required

Durable and Reusable



Model.5-3



Pallet Type: Flat Surface	Glue & Ratio: UF 15% / MDI 4.5%
Material: Wood Waste	Logo: Custom
Size: 2380mm*1120mm*115mm	Cost comparable to timber
Pallet Weight: 39kg	No splinters, No Nails, infestation
Entry: 4 ways	Heat treatment and fumigation not required
Static load: 8t-13t	Durable and Reusable
Dynamic load: 1.5t-3t	

Waste Plastic Recycled Pallet

Model.WP-1




Model.WP-2



Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1500–2000 kg
Static Load	≥5000 kg
Material	PE, PP, Plastic Granules
Size	1100 × 1100 × 130 mm
Weight	18 kg
Fork Entry	Four-way


Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1500–2000 kg
Static Load	≥5000 kg
Material	PE, PP, Plastic Granules
Size	1100 × 1100 × 130 mm
Weight	18 kg
Fork Entry	Four-way

Model.WP-3




Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1500–2500 kg
Static Load	≥4000 kg
Material	PE, PP, Plastic Granules
Size	1200 × 1000 × 130 mm
Weight	20 kg
Fork Entry	Four-way

Model.WP-4





Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1500–2000 kg
Static Load	≥5000 kg
Material	PE, PP, Plastic Granules
Size	1100 × 1100 × 130 mm
Weight	18 kg
Fork Entry	Four-way

Model.WP-5





Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1500–2000 kg
Static Load	≥4000 kg
Material	PE, PP, Plastic Granules
Size	1200 × 1200 × 130 mm
Weight	19 kg
Fork Entry	Four-way

Model.WP-6





Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1200–1500 kg
Static Load	≥5000 kg
Material	PE, PP, Plastic Granules
Size	1200 × 1000 × 130 mm
Weight	18 kg
Fork Entry	Four-way

Model.WP-7




Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1500–2000 kg
Static Load	≥4000 kg
Material	PE, PP, Plastic Granules
Size	1200 × 1000 × 130 mm
Weight	19 kg
Fork Entry	Four-way

Model.WP-8




Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1200–1500 kg
Static Load	≥5000 kg
Material	PE, PP, Plastic Granules
Size	1100 × 1100 × 130 mm
Weight	18 kg
Fork Entry	Four-way

Model.WP-9




Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1500–2000 kg
Static Load	≥4000 kg
Material	PE, PP, Plastic Granules
Size	1200 × 1000 × 130 mm
Weight	18 kg
Fork Entry	Four-way

Model.WP-10





Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1200–1500 kg
Static Load	≥5000 kg
Material	PE, PP, Plastic Granules
Size	1100 × 1100 × 130 mm
Weight	18 kg
Fork Entry	Four-way

Model.WP-11





Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1500–2000 kg
Static Load	≥4000 kg
Material	PE, PP, Plastic Granules
Size	1200 × 1000 × 130 mm
Weight	18 kg
Fork Entry	Four-way

Model.WP-12





Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1200–1500 kg
Static Load	≥5000 kg
Material	PE, PP, Plastic Granules
Size	1100 × 1100 × 130 mm
Weight	18 kg
Fork Entry	Four-way

Model.WP-13



Item	Specification
Tolerance (L × W × H)	±1 cm
Dynamic Load	≥1200–1500 kg
Static Load	≥4000 kg
Material	PE, PP, Plastic Granules
Size	1100 × 1100 × 148 mm
Weight	21 kg
Fork Entry	Four-way

Other Presswood Products



Raw Materials Presswood Products



Coconut Fiber



Bamboo



Oil Palm Waste



Flax



Rice Husk



Sunflower Shell



Palm Branches



Cotton Stalk



Wheat Straw



Chili stem



Miscanthus



Waste Wood